

SAV 240.18**HOLDING MAGNETS**

High-energy magnets (flat pot magnets)

DESIGN


Max. service temperature: 80 °C

FASTENING OPTION


Pressing, glueing, casting

MAGNET MATERIAL

Neodymium iron boron (NdFeB)



Type	mm		Rated holding force	kg
	A ±0.15	B ±0.15		
MH 18 - 01	6	4.5	5	0.001
MH 18 - 02	8	4.5	13	0.002
MH 18 - 03	10	4.5	25	0.003
MH 18 - 04	13	4.5	60	0.005
MH 18 - 05	16	4.5	95	0.007
MH 18 - 06	20	6	140	0.015
MH 18 - 07	25	7	200	0.022
MH 18 - 08	32	7	350	0.040

**ORDERING EXAMPLE**

Designation SAV no. - type

Holding magnet SAV 240.18 - MH 18 - 05